

WARNING
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

BITHOR[®]
SC

KEEP AWAY FROM CHILDREN AND FOODSTUFF

COMPOSITION:

Active Constituent: Bifenthrin.....	13 %
Active Constituent: Imidacloprid.....	5.18 %
Inert Constituent.....	90.68 %
Total.....	100 %



Registered
Distributor:
Ensys, Inc.
202 Fairway Drive
Fayetteville, NC 28305
USA

Manufactured by:
Ensys, Inc.
202 Fairway Drive
Fayetteville, NC 28305
USA

FDA Registration Number: HSR-8093

For control of pests indoors and outdoors
in and around industrial, institutional and
public structures and buildings including
food handling establishments.

Net Contents:

1 Litre



ENSYSTEXTM

DIRECTIONS FOR USE

Pest	Situations	Rate	Critical Comments
Cockroaches and flies	Internal & external areas & surroundings of Domestic, Commercial, Public and Industrial buildings & structures including food handling premises.	5 - 10 mL / L	Apply prepared spray to indoor and outdoor surfaces where pests are a problem. Reapply as necessary. For perimeter treatments, apply the prepared spray to a band of soil or vegetation two to three metres wide around and adjacent to the structure. When applying to vegetation, ensure that spray covers entire plant or hedge and covers both leaf surfaces.
Mosquitoes		20 mL / L	For mosquitoes apply to all daytime resting areas.

MIXING - SHAKE WELL BEFORE OPENING

This product is to be diluted with water prior to application. For best results, make a premix of the required amount of product with an equal volume of water and stir thoroughly. Fill sprayer to half full, add one and add premix. Agitate thoroughly and then spray to the desired volume and agitate again to ensure proper mixing. Agitate prior to application. Spraying is intended.

APPLICATION

Apply diluted insecticide using a suitable spraying equipment capable of producing a coarse spray (200 microns) directly onto exposed surfaces frequently frequented by pests. Spray to the point of run-off ensuring thorough coverage of all treated surfaces.

STORAGE AND DISPOSAL

Store in closed original containers, in a cool, well ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

SPILLAGE: In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter. Do NOT allow spilled product to enter sewers, drains, creeks or any other waterways. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Before spraying, remove animals and pets from areas to be treated. Cover or remove any open food or water containers. Cover or remove fish ponds, aquariums, etc. before spraying. Harmful if swallowed. May irritate the eyes. Avoid contact with eyes and skin. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC, neoprene or nitrile gloves. After each day's use, wash gloves and contaminated clothing. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. For more information Contact: National Poison Control and Information Service, c/- Philippines General Hospital - Emergency Nos: 8524-1078 / 8521-8450 loc 2311.

Note to Physician: In case of any adverse effect detected, stop product use, treat symptomatically and provide necessary supportive care.

SDS

Additional information is written on the Safety Data Sheet which is available on Ensysstex.

NOTICE

Ensysstex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under abnormal conditions.



9 4330209 004525 >

Batch No.:

Date of Manufacture:

* Registered trademark of Ensysstex, Inc.
used under licence by Ensysstex Philippines Inc.

ENSYSTEX™

L-PH-CHMBI1030 3.01 03.23 T