PROTECTION OF PETS AND LIVESTOCK

Dangerous to bees. DO NOT spray any plants in flower when bees are foraging. Spray in the night or early morning when bees are not actively foraging. Before spraying, remove animals and pets from the areas to be treated. Cover or remove any open food and water containers. Cover or remove fish ponds, aquariums etc before spraying. Do not allow re-entry until sprav has dried.

STORAGE, ACCIDENTAL SPILL AND DISPOSAL

Storage - Store in closed original containers, in a cool, well ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

Accidental spill - In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter. Do NOT allow spilled product to enter sewers, drains, creeks or any other waterways.

Disposal - Dispose safely. Prevent chemical and chemical mixture from entering waterways. Spillage waste and empty bottle washes to be poured safely in landfills. Cleaned empty bottles to be crushed and recycled as per governing law applicable.

Known incompatibilites: Strong acids, strong bases, oils.

SAFETY DIRECTIONS

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. **Ventilation:** This oroduct should only be used in a well-ventilated area. If natural ventilation is inadeouate. use of a fan

ventilation: This product should only be used in a weil-ventilated area. If natural ventilation is inadequate, use of a fan is suggested. Eve Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your

EVE Protection: Protective glasses or goggies should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash bath/facilities are recommended in an area close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.



Skin Contact: Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or unit the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses. Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact the National Poison Control and information Service or call a dotor.

SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet which is available from Ensystex on request. Or visit our web site at http:/ensystex.com.ph

Date of Manufacture:	
Batch No.:	
Date of Expiry:	9 330209 004532

ENSYSTEX

POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

100 WATER-BASED INSECTICIDE

For the control of subterranean termites and other insects including cockroaches, mosquitoes, & ants



AUSTRALASIA PTY LTD

Registered in Philippines by:

® Registered trademark of Ensystex, Inc. used under licence by Ensystex Philippines Inc.

Contents: 1

Warning. Harmful if swallowed. May be harmful if inhaled. May be harmful in contact with skin. Toxic to aquatic life with long lasting effects.

ENSYSTEX'

DIRECTIONS FOR USE

	SITUATION	RATE	CRITICAL COMMENTS
	Cockroaches, Mosquitoes, Ants		
	Internal & external areas & surrounds of Domestic, Commercial, Public and	5-10 mL / 1 L of water	Use the higher rate in situations where pest pressure is high, when rapid knockdown and maximum residual protection is desired. The lower rate may be used for follow-up treatments. Mosquitoes: apply prepared spray to surfaces where insects rest or harbour. Reapply as necessary.
	Industrial buildings & structures -suitable for Residual Surface Treatments		To form Residual Surface Treatments: Apply prepared spray to indoor and outdoor surfaces where insects rest or harbour. Internal harbourage sites include (but are not restricted to) areas such as walls, fly screens, behind and under sinks, under furniture and indoor plants. External harbourage sites include (but are not restricted to) areas such as building exteriors, eves, walls, fences, also garages, sheds, gazebos, ornamental plants, bushes, shrubs, hedges, shady or damp areas around buildings. Reapply as necessary. Application to vegetation: Ensure that spray penetrates entire plant or hedge and covers both leaf surfaces.
		_	Perimeter or harbourage treatments: Apply the prepared spray to a band of soil or vegetation 2 to 3 metres wide around and adjacent to the structure. Also treat the foundation of the structure to a height of approximately 1 metre. Use a spray volume of 5 to 10 L per 100 m?. Higher volumes of water may be needed if organic mater is present or foliage is dense.
			Non-prorous surfaces, Apply as a coarse spin at the rate of 1 Lof environmer 20 m ² . When treating non-prous surfaces, do not exceed the point of truncit. Prous surfaces, Spin y at the rate of 1 Lof environmer 20 m ² . When treating prous surfaces, do not exceed the point of rule of the state of the s
5	Termites		
	Pre-construction Barriers – For protection of new buildings.	1: 200 L of water and 51 mixture per sqm	A ply with su table application equipment to form a complete and continuous carrial barn et toon vertical and horizontal) under the shall. The formation of the barrier my require any one or a combination of convenional open wand application, suit tern hing and/or rodding application
	Post construction Barriers – For protection of existing buildings.	1: 200 L of water and 5L mixture per sqm	Apply perime and the second barries and und slabs, substructure walls and external penetration points. Apply with suitable application equipment to form a continuous chemical barrier (both vertical and horizontal) around the structure. The formation of the barrier may require one or a combination of several application techniques, including soil trenching, rodding and open wand applications.

REAPPLICATION TIME FOR TERMITE TREATMENT

The recommended reapplication time for the product is 3 years.

MIXING

Add the required quantity of MAXXTHOR to water in the spray tank and mix thoroughly. Maintain agitation during both mixing and application.

PRECAUTIONS

DO NOT spray directly on humans, pets or animals. Avoid contact with food, food utensils or preparation surfaces. Keep oout of reach of children. Avoid breathing mist. Wash contaminated areas thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

Dangerous to fish and aquatic organisms. Do not contaminate dams, rivers, streams, waterways or drains with product or the used container. Do not apply to mud, sand, mangrove or aquatic habitats. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Extreme caution must be used to avoid aquatic contamination. Avoid spraying flowers that attract and harbour bees.

ENSYSTEX

L-PH-CHEMX2004 4.01 02.21 R