

**WARNING**  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# BITHOR<sup>®</sup> SC

**KEEP AWAY FROM CHILDREN**

**COMPOSITION:**

Active Constituent: BIFENTHRIN.....	4.13 % (w/v)
Active Constituent: MIDACLOPRID.....	5.87 % (w/v)
Inert Ingredients.....	90.00 % (w/v)
Total.....	100.00 % (w/v)

**SAMPLE ONLY**

Registered  
and Imported by :  
Ensyslex Philippines Inc.  
330 Calvo Building  
266 Escolta Street, Binondo,  
Manila  
Phone: 02 85533665

Manufactured by :  
Ensyslex, Inc. USA  
2175 Village Drive  
Fayetteville NC 28304  
USA.

Registration Number: HSR-8093

**For control of cockroaches and houseflies in  
and around the outside of commercial and  
household establishments.**

**FOR PROFESSIONAL USE ONLY**

**WARNING. HARMFUL IF SWALLOWED.  
VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.  
MAY BE HARMFUL IN CONTACT WITH SKIN.  
CAUSES EYE IRRITATION.**

**Net Contents:**

**1 Litre**



**ENSYSTEX<sup>®</sup>**

## DIRECTIONS FOR USE

Pest	Usage	Dilution rate & Application rate	Situation	Frequency / reapplication
German Cockroaches <i>Blattella germanica</i>	Direct spray	10 mL / L & 50 mL/50g	Indoor & outdoor areas & surrounding of domestic, commercial, public and industrial buildings & structures including food handling premises.	Reapply as necessary when pest is spotted.  For cockroach residual spray reapply after 21 days.
German Cockroaches <i>Blattella germanica</i>	Residual spray	20 mL / L & 50 mL/50g		
Housefly <i>Musca domestica</i>	Space spray	20 mL/L & Approx. 12 g / 6.1 ml (or 216 fl.oz)		

### MIXING - SHAKE WELL BEFORE OPENING

This product is to be diluted with water prior to application. For best results, make a premix of the required amount of product in an equivalent volume of water in a spray bottle. Fill spray bottle to half of desired volume and add premix. Add the thorough quantity of water to the desired volume and agitate again to ensure complete mixing. Agitation of the application spray is interrupted.

**Re-entry Time:** 60 mins after spray of best when sprayed areas

### APPLICATION

Apply diluted insecticide by means of suitable spraying equipment capable of delivering a coarse spray (200 microns) directly onto exposed surfaces frequented by pests. Spray to the point of run-off ensuring thorough coverage of all treated surfaces.

**Protective clothing:** Wear full body coveralls and gloves and eye glasses when using the product. Spray in well ventilated spaces if indoor and in absence of bystanders.

### STORAGE AND DISPOSAL

Store locked up. Store in closed original containers, in a cool, well ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**Accidental Spills Advice:** In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter. Do NOT allow spilled product to enter sewers, drains, creeks or any other waterways.

**PRECAUTIONS:** If accidentally swallowed, do not induce vomiting. Avoid contact with eyes and prolonged contact with skin. If splashed on eyes, flush with cold water immediately and call a doctor. If spilled on skin, clothing or floor, wash off with water. Keep out of reach of children. Do not use with other chemicals. NOT to be taken internally.

**PROTECTION OF ENVIRONMENT:** Do not contaminate dams, rivers, streams, waterways or drains with product or used containers. Avoid spraying flowers that attract and harbour bees.

### SAFETY DIRECTIONS

Before spraying, remove animals and pets from areas to be treated. Cover or remove any open food or water containers. Cover or remove fish ponds, aquariums, etc. before spraying. Avoid contact with eyes and skin. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC, neoprene or nitrile gloves. After each day's use, wash gloves and contaminated clothing. Wash hands after use. Do

not eat, drink or smoke when using this product.

### Signs and symptoms of poisoning:

**Skin Contact:** This product may cause skin numbness in sensitive persons.

**Eye Contact:** This product may be irritating to eyes.

**Ingestion:** This product may be irritating to mucous membranes.

### FIRST AID

If exposed or concerned, get medical help or contact the Poisons Information Centre. For more information Contact: National Poison Management and Control Center, c/- Philippines General Hospital - Emergency Nos: 8524-1078 / 8521-8450 loc 2311.

**Inhalation:** If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed. If on skin: Get medical help.

**Eye Contact:** If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

**Note to Physician:** In case of any adverse effect detected due to product use, treat symptomatically and provide necessary supportive care.

### SDS

Additional information is listed on the Safety Data Sheet which is available from Enystex.

### WARRANTY

Enystex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under abnormal conditions.

**SAMPLE ONLY**



Batch No.:

Date of Manufacture:

Expiry Date:

L-PH-CHMB1030 3.03 10.24 T