

PROTECTION OF LIVESTOCK:

Dangerous to bees. DO NOT spray any plants in flower while bees are foraging. Spray in the night or early morning when bees are not actively foraging.

STORAGE AND DISPOSAL:

Store in the closed, original container, in a cool well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight. Ensure product does not come into contact with strong acids, strong bases, strong oxidizing agents.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. Empty containers and product should not be burnt.

Accidental Spills Advice: In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter. Do NOT allow spilled product to enter sewers, drains, creeks or any other waterways.

SAFETY DIRECTIONS

Harmful if inhaled. May irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Do not inhale spray mist. Avoid contact with eyes and skin. When using the product wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves, face-shield or goggles and half-face piece respirator. After each day's use, wash contaminated clothing, gloves, face-shield/goggles and respirator with detergent and warm water.

SIGNS AND SYMPTOMS OF POISONING

High dermal exposure include numbness, tingling, itching, burning sensation, loss of bladder control, incoordination, seizures, and possible death. High-dose ingestion include nausea, prolonged vomiting, stomach pains, and diarrhea which progresses to convulsions, unconsciousness, and coma. Cypermethrin may adversely affect the central nervous system, slight skin and eye irritation. May cause skin reactions and facial skin numbness. Product is harmful if inhaled. A possible skin sensitiser. If aspirated, may cause lung Damage. Repeated exposure may cause skin dryness or cracking.

FIRST AID:

If poisoning occurs, contact a doctor or National Poison Management and Control Center, c/- Philippine General Hospital - Emergency Nos: (02) 8524 1078 / 8521 8450 LOC 2311.

Wash hands after use. If product in eyes, wash it out immediately with water for 15 minutes and contact a doctor. If swallowed, do NOT induce vomiting. Wash mouth with water and contact a doctor.

Note to Physician:

In case of any adverse effect detected due to product use, treat symptomatically and provide necessary supportive care.

SDS:

Additional information is listed in the Safety Data Sheet which is available on request.

NOTICE

Ensysstex Inc. (Ensysstex) warrants that this product conforms to the technical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use unless otherwise stated. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under abnormal conditions.

Batch Number:

Date of Manufacture:

Date of Expiry: 2-years from Date of Manufacture.

WARNING
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

DIPHTHOR® DUO
SPACE TREATMENT
INSECTICIDE

ACTIVE INGREDIENT: CYPERMETHRIN.....2.5 % w/v

SAMPLE ONLY
An Emulsifiable Concentrate (EC) formulation for public use in the knowledge, control of mosquitoes in and around domestic, public service areas, commercial and industrial areas, as per the directions for use table.
FOR PROFESSIONAL USE ONLY



Registered and Imported by:
ENSYSTEX PHILIPPINES, INC.
330 CALVO BLDG.,
266 ESCOLTA, BINONDO, Manila, Metro Manila.
Phone: +632 85533665

Manufactured by:
ENSYSTEX AUSTRALASIA PTY LTD.
Unit 3, The Junction Estate,
4-6 Junction Street, Auburn NSW 2144, Australia

Danger. Flammable liquid and vapour. May be harmful if swallowed or inhaled. May be fatal if swallowed and enters airways. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Repeated exposure may cause skin dryness or cracking.



DIRECTIONS FOR USE

SITUATION	PESTS	TREATMENT RATE	CRITICAL COMMENTS
Indoor areas such as Warehouses, Factories, Kitchens, Industrial Buildings, Domestic residences.	Mosquito <i>Aedes aegypti</i>	Mix 20 mL of the product with 980 mL of water and spray using a ULV equipment at the rate 1 L mixture per 1000 cubic meter space.	Use thermal fogging or ULV equipment and spray into the air or onto surfaces used as harbourages by the target pests. For best results apply when pests are active. Use the higher rate when environmental conditions are suboptimal, such as low humidity, high temperature, lack of breeze or dense vegetation. For effective control, DIPHTHOR DUO must be mixed with water or diesel and not applied neat. Frequency of reapplication: Repeat application whenever pest is observed and when necessary as determined by management practices and environmental conditions.
Outdoor areas including picnic areas, sports grounds, recreation areas, hotels and resorts.		Mix 20 mL of the product with 980 mL of diesel and spray using a thermal fogging machine at the rate 10 L mixture per hectare.	

DO NOT SPRAY OVER WATER INTENDED FOR HUMAN CONSUMPTION

GENERAL INSTRUCTIONS:

MIXING:

Dilute DIPHTHOR DUO Insecticide with a suitable volume of water or oil. Do not store diluted insecticide. Prepare fresh spray as required.

APPLICATION:

Diluted DIPHTHOR DUO Insecticide should be applied uniformly hand-held application equipment. These include thermal fogging equipment and cold aerosol generating ULV equipment. Applications should be in response to high target insect numbers, disease risk and pro-active pesticide management.

PRECAUTIONS:

Do not allow spray to contact food, food preparation surfaces or utensils. Do not spray on humans, exposed food or food utensils. Never repack from this container.

RE-ENTRY PERIOD:

DO NOT enter for 60 minutes after treatment. When prior entry is necessary, wear cotton overalls (or equivalent clothing), a washable hat, elbow length PVC gloves and half-face respirator. Clothing must be washed after each day's use. In enclosed buildings, wait at least one hour after treatment, then thoroughly ventilate treated area. Clean thoroughly before food processing/serving or other activities resume.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

Dangerous to fish and aquatic invertebrates. Do not use over or immediately next to any water body or water course. DO NOT contaminate streams, rivers or waterways with the chemical or used container. Remove or cover fish tanks and ponds before use.