

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

Do not contaminate dams, rivers, streams, waterways or drains with product or the used container. Do not apply to mud, sand, mangrove or aquatic habitats. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Extreme caution must be used to avoid aquatic contamination.

PROTECTION OF PETS AND LIVESTOCK

Dangerous to bees. Before spraying, remove animals and pets from the areas to be treated. Cover or remove any open food and water containers. Cover or remove fish ponds, aquariums etc before spraying. Do not allow re-entry until spray has dried.

STORAGE, ACCIDENTAL SPILL AND DISPOSAL

Storage - Store locked up. Store in closed original containers, in a cool, well ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

Accidental spill - In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter. Do NOT allow spilled product to enter sewers, drains, creeks or any other waterways.

Disposal - Dispose safely. Prevent chemical and chemical mixture from entering waterways. Dispose of contents/ container in accordance with local/regional/national/international regulations.

Known incompatibilities: Strong acids, strong bases, oils.

SAFETY DIRECTIONS

Ventilation: This product should only be used in a well-ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash bath/facilities are recommended in an area close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC.

Inhalation: Wear appropriate personal protective equipment.

Ingestion: This product is harmful if swallowed. Take necessary precautions to ingest product.

Sign and symptoms of poisoning: Skin contact causes skin numbness that may irritate the skin. Contact with eyes causes eye irritation which may include reddening, stinging and watering of eyes. Ingestion may cause burning sensation and reddening of skin in mouth and throat.

FIRST AID:

You should call The National Poison Management and Control Centre, c/- Philippines General Hospital - Emergency Nos: 8524-1078 / 8521-8450 loc 2311 if you feel that you may have been poisoned, burned or irritated by this product. Additional information is listed on the Safety Data Sheet which is available from Ensysstex on request.

Inhalation: If inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact the National Poison Management and Control Centre or call a doctor.

Note to Physician/Medical Advice: Treat symptomatically and provide necessary supportive care.

SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet which is available from Ensysstex on request. Or visit our web site at <http://Ensysstex.com.ph>.

Date of Manufacture:

Batch No.:

Date of Expiry:



WARNING

**KEEP OUT OF REACH OF CHILDREN
FOR PROFESSIONAL USE ONLY**

MAXXTHOR®

100 WATER-BASED INSECTICIDE

For the control of subterranean termites and other insects including cockroaches, mosquitoes, & ants

A suspension concentrate for professional use

ACTIVE INGREDIENT:

BIFENTHRIN

10% w/v

FOR PROFESSIONAL USE

Registration no: HSR-7167

ENSYSTEX AUSTRALASIA PTY LTD

Unit 3, The Junction Estate,
4-6 Junction Street Auburn NSW 2144
Australia

Marketing authorization holder:

ENSYSTEX PHILIPPINES INC.
330 Calvo Bldg., 266 Escolta,
Binondo, Manila, Metro Manila.

Net Contents: 1 L

® Registered trademark of Ensysstex, Inc. used under licence by Ensysstex Philippines Inc.

**Warning. Harmful if swallowed. May be harmful if inhaled.
May be harmful in contact with skin.
Very toxic to aquatic life with long lasting effects.**



READ THE LABEL BEFORE USE

DIRECTIONS FOR USE

SITUATION	RATE	CRITICAL COMMENTS
Mosquitoes (<i>Aedes aegypti</i>), Thief ants (<i>Solenopsis sp.</i>) and Cockroach (<i>Periplaneta americana</i>)		
Internal & external areas & surrounds of Domestic, Commercial, Public and Industrial buildings & structures -suitable for Residual Surface Treatments	5-10 mL / 1 L of water	Use the higher rate in situations where pest pressure is high, when rapid knockdown and maximum residual protection is desired. The lower rate may be used for follow-up treatments. Mosquitoes: apply prepared spray to surfaces where insects rest or harbour. Reapply as necessary. To form Residual Surface Treatments: Apply prepared spray to indoor and outdoor surfaces where insects rest or harbour. Internal harbourage sites include (but are not restricted to) areas such as walls, fly screens, behind and under sinks, under furniture. External harbourage sites include (but are not restricted to) areas such as building exteriors, eaves, walls, fences, also garages, sheds, gazebos, shady or damp areas around buildings. Reapply as necessary. Perimeter or harbourage treatments: Apply the prepared spray to a band of soil 2 to 3 metres wide around and adjacent to the structure. Also treat the foundation of the structure to a height of approximately 1 metre. Use a spray volume of 5 to 10 L per 100 m ² . Higher volumes of water may be needed if organic matter is present or foliage is dense. Non-porous surfaces: Apply as a coarse spray at the rate of 1 L of emulsion per 20 m ² . When treating non-porous surfaces, do not exceed the point of run-off. Porous surfaces: Spray at the rate of 1 L of emulsion per 10 m ² . When treating porous surfaces, do not exceed the point of run-off.
Termites		
Pre-construction Barriers - For protection of new buildings.	200 L of water and 5L mixture per sqm	Apply with suitable application equipment to form a complete and continuous chemical barrier (both vertical and horizontal) under the slab. The formation of the barrier may require any one or a combination of conventional open wand application, soil trenching and/or rodding application
Post-construction Barriers - For protection of existing buildings.	1: 200 L of water and 5L mixture per sqm	Apply perimeter chemical barriers around slabs, substructure walls and external penetration points. Apply with suitable application equipment to form a continuous chemical barrier (both vertical and horizontal) around the structure. The formation of the barrier may require one or a combination of several application techniques, including soil trenching, rodding and open wand applications.

REAPPLICATION TIME FOR TERMITE TREATMENT

The recommended reapplication time for the product is 3 years.

MIXING

Add the required quantity of MAXXTHOR to water in the spray tank and mix thoroughly. Maintain agitation during both mixing and application.

PRECAUTIONS

DO NOT spray directly on humans, pets or animals. Avoid contact with food, food utensils or preparation surfaces.

Keep out of reach of children. Avoid breathing mist. Wash contaminated hands/face/exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

IF SWALLOWED: Get medical help. Rinse mouth. IF ON SKIN: Get medical help. IF INHALED: Get medical help. Collect spillage. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Avoid release to the environment.

Re-entry Period: Do not re-enter treatment area for 60 minutes after spraying.

L-PH-CHEMX2004 4.03 12.24 R

ENSYSTEX®

ENSYSTEX®

ENSYSTEX®