

SAFETY DIRECTIONS

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used in a well-ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash bath/facilities are recommended in an area close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the manufacturer / distributor. Otherwise, not normally necessary.

Ingestion: This product is harmful if swallowed. Take necessary precaution not to ingest product.

Sign and symptoms of poisoning: Skin contact causes skin numbness that may be irritating to the skin. Contact with eyes causes eye irritation which may include reddening, stinging and watering of eyes. Ingestion may cause burning sensation and reddening of skin in mouth and throat.

FIRST AID:

You should call The National Poison Control and information Service, c/- Philippines General Hospital - Emergency Nos: 02-8524-1078 / 02-8521-8450 loc 2311 if you feel that you may have been poisoned, burned or irritated by this product. Have this SDS with you when you call.

Inhalation: No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists for more than about 30 minutes, seek medical advice.

Skin Contact: Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently running water for 5 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact the National Poison Control and information Service or call a doctor.

SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet which is available from Ensysstex on request. Or visit our web site at <http://Ensysstex.com.ph>

Batch No.:

Date of Manufacture:

Expiry Date:

WARNING

KEEP AWAY FROM CHILDREN AND FOOD

ULTRATHOR™

WATER-BASED TERMITICIDE

**FOR THE CONTROL OF SUBTERRANEAN TERMITES
FOR PROFESSIONAL PEST CONTROL USE ONLY**

COMPOSITION:

Active Ingredient: Fipronil100 g/L

Inert Ingredients:900 g/L

Total1000 g/L

**Net Contents:
500 mL**

Registration No: HSR No. 7995

Registered and Imported by :
ENSYSTEX PHILIPPINES, INC.
330 Calvo Building
266 Escolta Street,
Manila

Manufactured by :
ENSYSTEX AUSTRALASIA PTY. LTD.
Unit 3, 4-6 Junction Street
Auburn, NSW
Australia

™ Trademark of Ensysstex, Inc. used under licence by Ensysstex Philippines, Inc.

Warning. May be harmful if swallowed.

Harmful if inhaled.

May be harmful in contact with skin.

Toxic to aquatic life with long lasting effects.



DIRECTIONS FOR USE

SITUATION	RATE	CRITICAL COMMENTS
Termites		
For protection of new buildings.	1:166 L of water or 1.2 L in 200 L of water.	Apply with suitable application equipment to form a complete and continuous Defence Zone (both vertical and horizontal) under the slab. The formation of the Defence Zone may require a combination of conventional open wand application and soil trenching and/or rodding applications. Recommended rod spacing should be between 150 mm and 300 mm as per soil type.
For new and existing buildings.		A perimeter Defence Zone should be installed around slabs, piers, substructure walls and external penetration points. Apply with suitable application equipment to form a continuous Defence Zone (both vertical and horizontal) around the structure and to a depth reaching to 80 mm below the top of the footings, where appropriate. The formation of the Defence Zone may require a combination of several application techniques, including soil trenching and/or rodding and open wand applications. In some cases, the use of wetting agents may be useful in overcoming non-wetting soils or getting a more even application in areas of difficult access or soil subsidence.
Active termites in wall cavities.		Locate the nest by drilling into the wall. Ensure that the full size of any termite nest or bivouac is identified, especially the highest point. Apply at least 20 litres of diluted ULTRATHOR into a termite nest.

REAPPLICATION TIME FOR TERMITE TREATMENT

The recommended reapplication time for the product is 3 years.

MIXING

Add the required quantity of ULTRATHOR to water in the spray tank and mix thoroughly. Maintain agitation during both mixing and application.

PRECAUTIONS

DO NOT spray directly on humans, pets or animals. Avoid contact with food, food utensils or preparation surfaces.

Keep out of reach of children. Avoid breathing mist. Wash contaminated areas thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

Dangerous to fish and aquatic organisms. Do not contaminate dams, rivers, streams, waterways or drains with product or the used container. Do not apply to mud, sand, mangrove or aquatic habitats. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Extreme caution must be used to avoid aquatic contamination. Avoid spraying flowers that attract and harbour bees.

PROTECTION OF PETS AND LIVESTOCK

Dangerous to bees. Do NOT spray any plants in flower when bees are foraging. Spray in the night or early morning when bees are not actively foraging. Before spraying, remove animals and pets from the areas to be treated. Cover or remove any open food and water containers. Cover or remove fish ponds, aquariums etc before spraying. Do not allow re-entry until spray has dried.

STORAGE, ACCIDENTAL SPILL AND DISPOSAL

Storage - Store in closed original containers, in a cool, well ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

Accidental spill - In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter. Do NOT allow spilled product to enter sewers, drains, creeks or any other waterways.

Disposal - Dispose safely. Prevent chemical and chemical mixture from entering waterways. Spillage waste and empty bottle washes to be poured safely in landfills. Cleaned empty bottles to be crushed and recycled as per governing law applicable.

Known incompatibilities: Strong acids, strong bases, oils.

L/A-PH-CHEUL1012 1.06 12.22 R

ENSYSTEX™