READ SAFETY DIRECTIONS BEFORE OPENING OR USING KEEP AWAY FROM CHILDREN

# **DIATHOR™**

FLOWABLE POWDER LONG-TERM
CRACK AND CREVICE TREATMENT

ACTIVE CONSTITUENT: 945 g/kg Amorphous Silica

A ready to use environmentally responsible treatment for cracks and crevices to prevent bed bug and cockroach harbouring.



MANUFACTURED BY: CHINCHEX LIMITED 12F Wing Fat Loong Industrial Building 136 Wai Yip Street Kwun Tong, Hong Kong

IMPORTED BY:
ENSYSTEX® PHILIPPINES INC
330 Calvo Building,
266 Escolta Street
Manilla

NET CONTENTS:

# **DIRECTION FOR USE**

SITUATION	PEST	RATE	CRITICAL COMMENTS
Internal & external areas & surrounds of Domestic, Commercial, Public and Industrial buildings, facilities & structures (including but not limited to food processing establishments, shops, factories, farm buildings, ships, trains, aeroplanes, offices, schools, storerooms, hospitals, barracks, private houses, and external areas associated with such establishments.	Treatment of bed bugs, German & Periplaneta cockroaches harbouring areas.	2 – 4 g/ m²	Apply powder using the powder puffer or a powder duster (so it is barely visible) to cracks and crevices, such as underneath edges of carpet, power points, wall sockets, behind skirting boards, in wall voids. When applying to power points ensure electricity is turned off at the mains power. Thorough treatment is required to prevent bed bugs and cockroaches from harbouring.  High levels of prevention may take 5 or more days to achieve depending on areas of high moisture and humidity or when lower rates have been used.

WARNING. May cause respiratory irritation.









**ENSYSTEX**®

#### GENERAL INSTRUCTIONS:

This product will treat cracks and crevices where strains of bed bugs resistant to synthetic pyrethroids and carbamates are located. It is chemically stable and high temperatures will not degrade it. This product is used to treat cracks and crevices to prevent bed bugs and cockroaches from harbouring. DIATHOR FLOWABLE will remain effective while the deposits remain dry and uncontaminated with other materials such as dust and debris. Ready to use; no further diluents should be added. Levae powder undisturbed for as lone as possible after apolication.

# PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the product or used containers.

#### **PRECAUTIONS**

Avoid contact with food, food utensils, or places where food is prepared or stored.

Before use, remove or cover all exposed foodstuffs. Cover all dishes and utensils, and places where food is prepared or stored. Do not apply dust directly to humans or pets.

#### SAFETY DIRECTIONS

Avoid inhaling dust. When using the product wear safety glasses and disposable face mask.

#### Symptoms of Poisoning:

Inhalation: This product may cause respiratory irritation. Product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

#### FIRST AID

If poisoning is suspected, contact a doctor or National Poisons Management and Control Centre, c/o Philippines General Hospital – Emergency Nos: 8524-1078 / 8521 8450 LOC 2311.

Inhalation: No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Gently brush away excess particles. It may cause dryness. Rinse skin with soap and plenty of water until product is removed, apply moisturising cream. If continued discomfort or irritation persists, seek medical advice. Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 15 minutes, while holding the eyelid(s) open. Take special care if exposed person is wearing contact lenses. If continued discomfort or irritation persists, seek medical advice.

Ingestion: If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact the National Poisons Management and Control Centre, or a doctor

**Note to Physician:** In case of any adverse effect detected, treat symptomatically and provide necessary supportive care.

Accidental Spills Advice: Collect spilt product into labelled containers and dispose of promptly. Recycle containers wherever possible when empty.

In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls and ogggles. There are no specific manufacturer recommendations for protective equipment materials. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that dusts are likely to build up in clean-up area, we recommend that you use a respiratory protective device. Otherwise, not normally necessary

### STORAGE AND DISPOSAL

Storage: KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container in a cool, well-ventilated area and out of direct sunlight. Do not store for prolonged periods in direct sunlight. Shake remainder contents on to area of application.

Disposal: Do not dispose of product on site. If recycling, replace empty container and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to approved waste management facility, if an approved waste management facility is not available, buy the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

## SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which is available from Ensystex at: www.Ensystex.co.ph .

Notice: Ensystex warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the Directions for Use under normal conditions of use.

No warranty or merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under abnormal conditions.

Batch Number.:

Date of Manufacture:

**Expiry Date:** 

5 years from date of manufacture.

1330200U004730U