

KEEP OUT OF REACH OF CHILDREN. READ SAFETY DIRECTIONS BEFORE OPENING OR USING.

ENSYSTEX[®]

LEADING INNOVATION IN PEST MANAGEMENT

FUMITHOR[™] HYGIENE

DISINFECTANT SMOKE GENERATOR

ACTIVE CONSTITUENT: 35 g/kg GLUTARALDEHYDE 70 g/kg ORTHO-PHENYLPHENOL ALSO CONTAINS: 190 g/kg POTASSIUM CHLORATE

DANGER. May cause fire or explosion, strong oxidiser. Repeated exposure may cause skin dryness or cracking. Harmful if swallowed.

Causes skin irritation. May cause allergic skin reaction. Causes serious eye irritation. Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Toxic to aquatic life with long lasting effects.

Net Contents: 25 g

SAMPLE ONLY

GENERAL INSTRUCTIONS

Calculate the number of cans to be used. Seal closed any possible air leaks from the premises and place the container on the floor away from any flammable materials. Remove the plastic cap and the plastic tube, and light the wick. Do not remove the metal lid. The area to be treated should be evacuated beforehand and duly marked with a sign to prevent unauthorised entry. For best results, ignite the generator late in the evening and leave area closed overnight. Place the generator on a fireproof base, a protective floor covering or in a metal bucket. To ignite, using a match, light the wick. Always ignite those generators furthest away, lighting those nearest your exit last. Leave immediately after lighting generators. The generator will burn for approximately 1 minute 30 seconds, however keep area airtight for at least 6 hours after lighting. Ventilate for 30 minutes before re-entry.

PRECAUTIONS

DO NOT use in premises when animals are present. Remove or cover exposed food, utensils, food processing areas, pet bowls and fish tanks. Aquariums should be turned off while the product is in use and while the aquarium is covered. DO NOT apply where smoke detectors are installed, or turn them off prior to use. Keep out of reach of children and any precaution to avoid mixing with combustible or flammable materials. Do not breathe dusts or smoke. Do not get in eyes, on skin or on clothing. Wash contaminated areas thoroughly after handling. Do not eat or drink or smoke when using this product. Use personal protective equipment as required. Incompatibilities: Strong oxidising agents.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Harmful to aquatic organisms, may cause long-term adverse effects. Fish tanks and aquariums should be removed or covered prior to use of this product. DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Keep containers dry and away from water. Keep away from sources of ignition such as sparks and open flames. Dispose of used generator safely, wrap empty can in paper and place in waste bin. DO NOT re-use can.

SAFETY DIRECTIONS

May cause fire or explosion; strong oxidizer. Repeated exposure may cause skin dryness or cracking. Harmful if swallowed. Causes skin irritation. May cause allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. DO NOT inhale smoke. Avoid contact with skin. Wear suitable gloves. Irritating to eyes. Leave immediately after lighting generators. Thoroughly ventilate treated areas before re-occupying.

FIRST AID

You should call the National Poison Control and Information Service, c/-Philippines General Hospital - Emergency Nos: 8524-1078 / 8521-8450 loc 2311 if you feel that you may have been poisoned, burned, or irritated by this product. Have this SDS with you when you call. **Inhalation:** If symptoms of poisoning become evident, contact a National Poison Control and Information Service, call a doctor a once. Remove source of contamination or move victim to fresh air. If breathing difficult oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. Do not allow victim to move about unnecessarily. Symptoms of pulmonary oedema can be delayed up to 48 hours after exposure. **Skin Contact:** Wash skin vigorously and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes until products is removed. Do not use solvents or oils. **Eye Contact:** Quickly and gently brush particles from eyes. Flush contaminated eye(s) with lukewarm, gently flowing water for 15 minutes or until the products is removed, while holding eyelids open. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses. **Ingestion:** If swallowed, do Not induce vomiting. Wash mouth with water and contact a National Poison Control and Information Service or call a doctor immediately. Keep calm. **Note to physician:** In case of any adverse effect detected due to product use, treat symptomatically and provide necessary supportive care. If poisoning occurs, contact a doctor or hospital.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which is available from Ensysstex on request.

NOTICE

Ensysstex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under abnormal conditions.

SITUATIONS	CONTROLS	RATE
Residential, Commercial, industrial, agricultural, and public services buildings including food handling premises	Gram positive and gram negative bacteria, fungal and bacterial spores, yeasts, algae and viruses.	Shock treatments when there is a very high microbial loading: 1 generator/ 50 m ² Initial Treatments: 1 generator/ 100 m ² Routine Maintenance Treatments: 1 generator/ up to 250 m ²

ENSYSTEX PHILIPPINES INC

330 CALVO BUILDING, 266 ESCOLTA STREET

BINONDO, MANILA, PHILIPPINES

**See bottom of can for
batch number and
Date of Manufacture**



L-PH-CHEFS1014 2.02 02.21

©™ Trademark of Ensysstex, Inc. used under licence.

